

Everbuild Tecnic Fire Sealant 300

DECLARATION OF PERFORMANCE

No. 56144995

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	300
2	INTENDED USE/S	ETA 13/1058 / EAD 350141-00-1106:2017 Fire stopping and sealing products, linear joint and gap seals
3	MANUFACTURER:	Everbuild Building Products LTD Site 41, Knowsthorpe Way, Cross Green Industrial Estate, Leeds, UK, LS9 0SW
4	AUTHORISED REPRESENTATIVE:	N/A
5	SYSTEM/S OF AVCP:	1
6b	EUROPEAN ASSESSMENT DOCUMENT:	EAD 350141-00-1106 FIRE STOPPING AND FIRESEALING PRODUCTS, LINEAR JOINT AND GAPSEALS
	EUROPEAN TECHNICAL ASSESSMENT:	ETA 13/1058
	TECHNICAL ASSESSMENT BODY:	Element Materials Technology Rotterdam B.V
	Notified body/ies:	2812

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance
Reaction to fire	Class E
Resistance to fire	see ETA 13/1058
Air permeability	See ETA 13/1058
Water permeability	NPD
Content, emissions and/or release of dangerous substances	See SDS
Mechanical resistance and stability	See ETA 13/1058
Resistance to impact / movement	See ETA 13/1058
Adhesion	NDA
Durability	Z ₁
Movement capability	See ETA 13/1058
Cycling of perimeter seals for curtain walls	NPD
Compression set	NPD
Linear expansion on set	NPD
Airborne sound insulation	See ETA 13/1058
Thermal properties	NPD
Water vapour permeability	NPD


**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR -
SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Paul Thomas
Function: Technical Product
Coordinator
At Leeds on 15 December 2020

Name : Emma Taylor
Function: Product Manager
At Leeds on 16 December 2020



End of information as required by Regulation (EU) No 305/2011



Everbuild Building Products LTD, Leeds, UK

DoP No. 56144995

EAD 350141-00-1106:2017

Notified Body 2812

Fire stopping and sealing products, linear joint and gap seal

For details see accompanying documents

www.everbuild.co.uk/downloads/

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Declaration of Performance

300

56144995

2020/12 , ver. 02

1213

4/4

Template for translation. Only for
internal use

BUILDING TRUST

