



Made in
France

Rock**F**aster

Reinforced concrete has
never been so soft



DIAGER[®]

RockFaster

+ FAST + PRECISE + RESISTANT

ITEM DESIGNED FOR INTENSIVE APPLICATIONS.

With its 100% carbide insert and a number of cutting edges adapting to drilling diameters, RockFaster ensures maximum destruction of reinforced concrete in minimum time. It's also precise, producing perfectly cylindrical, calibrated holes with no cracks in the concrete, so your anchors will hold in place for as long as possible. Ideal for making holes for all types of fixings, pipes and cables...

110 TO 1000
LENGHT 



SDS-PLUS
COMPATIBILITY

TRIPLE U-SHAPED
FLUTE

SOLID ONE-PIECE
CARBIDE HEAD

// PASSES THROUGH CONCRETE REINFORCING BARS WITH EASE //

Christophe Salin AD SARL salina Jura solar energy




Recessed diameter marking with double listel for improved legibility, even after repeated use.



THICK LISTEL
for greater resistance to wear and vibration.

WIDE GROOVE
for better dust evacuation and optimum ventilation to prevent overheating.

A SCALABLE NUMBER OF CUTTING EDGES



RockFaster

- 3 CUTTING
- edges for optimised dust evacuation

 Peripheral areas

FROM Ø5 TO Ø7

3 cutting edges for ø5 to 7 mm because it requires less effort in terms of power and number of cutting edges. It is also necessary not to overload the insert at an angle on these small diameters afin not compress the dust and ensure that the dust is evacuated evacuation.

PERFECTLY ADAPTED TO EVERY DRILLING DIAMETER



RockFaster+

- 6 CUTTING
- edges for optimum destruction of concrete in minimum time

 Central areas

FROM 8 TO Ø20

3 central cutters with a 130° angle start the hole and guarantee centring and penetration.

3 peripheral cutters at 145° take over and complete the work with a concrete-breaking effect.

Optimum distribution of the 6 cutting edges for better better distribution of force, ensuring uniform wear of the cutting edges and longer service life. The combination of these 6 cutting edges ensures maximum of concrete in the shortest possible time.

A HIGH-TECH HEAD TO ENHANCE PERFORMANCE

3 LATERAL STABILISERS

with 120° positioning to ensure stable drilling and perfect reproduction of the power of the drill.

PROMINENT CENTERING POINT

for easy hole priming without risk of slipping or overheating.

S-SHAPED CUTTER

for efficient cutting of rebar instead of ripping or blocking.

LARGE CLEARANCE ZONE

between head and body to ensure rapid evacuation of dust.

WEAR INDICATOR GUARANTEES

a perfectly round, calibrated hole for optimum anchor strength.

" AFTER SEVERAL HUNDREDS OF HOLES THE DRILL IS STILL AS NEW "

Nicolas Duval
Paris Ouest Construction site supervisor



3 CUTTING EDGES FOR Ø 5 TO 7 MM



6 CUTTING EDGES FOR THE Ø8 TO 20 MM

CHARACTERISTICS

SHANK	COMPATIBLE WITH SDS+
NUMBER OF CUTTING EDGES	3 CUTTING EDGES Ø5-7 MM 6 CUTTING EDGES Ø8-20 MM
HEAD	MONOBLOC
RAW MATERIAL HEAD	TUNGSTEN CARBIDE (EUROPE)
FLUTE	TRIPLE U-SHAPED FLUTE
RAW MATERIAL BODY	PREMIUM STEEL (EUROPE)
PGM CERTIFICATION	YES
LIFETIME	5/5
DRILLING SPEED	5/5
DEPTH OF RANGE	FROM Ø5 TO Ø20 MM LENGTHS FROM 110 MM TO 1 000 MM

WITH THE MOST RECOGNISED CERTIFICATION.



The pgm is an independent organisation that has been certifying hammer drills and cylindrical shanks since 1978. It monitors standards and controls products and manufacturers' quality control policies of manufacturers. Drills bits must comply with the requirements of a strict specification with the aim of enabling safe anchoring. These checks include the diameter, the centring of the insert and the straightness of the drills. Certified drills bear the pgm logo and the manufacturer's number.

HOLES FOR ALL TYPES OF APPLICATION

ANCHORAGE FOR ALL TYPES OF FIXING

(concrete screws, dowels, knock-in plugs, tapping socket, chemical sealant, etc...)



“ROCKFASTER PROVIDES AN EFFECTIVE RESPONSE TO THE PROBLEMS ENCOUNTERED BY OUR TEAMS IN THE FIELD”

Antoine Ritter
Technical monitoring manager paris ouest construction



NO MATERIAL CAN RESIST IT



STRONGER PACKAGING

- Reinforced Grip

...AND A BETTER FOOTPRINT FOR THE PLANET

Made from pcr plastic (post-consumer recycled plastic)

100% RECYCLED PLASTIC

DIAGER IS COMMITTED TO EQUIPPING YOU FOR THE LONG TERM

- For over 70 years, Diager has been equipping professionals for the long term, with a strong focus on the impact of its products on the environment and on people.



ORIGIN FRANCE GUARANTEE

- All the expertise of an R&D department Made in Jura for ever more efficient drills.






TABLE OF REFERENCES

	Ø in mm.	L in mm.	DESIGNATION	REFERENCES	BARCODE
SINGLE TIPS	5	110	ROCKFASTER CONCRETE DRILL BIT 5X110	118D05L0110	3336600213920
	5	160	ROCKFASTER CONCRETE DRILL BIT 5X160	118D05L0160	3336600213937
	6,5	160	ROCKFASTER CONCRETE DRILL BIT 6,5X160	118D06.5L0160	3336600213944
	6,5	210	ROCKFASTER CONCRETE DRILL BIT 6,5X210	118D06.5L0210	3336600213951
	6,5	260	ROCKFASTER CONCRETE DRILL BIT 6,5X260	118D06.5L0260	3336600213968
	6,5	310	ROCKFASTER CONCRETE DRILL BIT 6,5X310	118D06.5L0310	3336600213975
	6	110	ROCKFASTER CONCRETE DRILL BIT 6X110	118D06L0110	3336600213982
	6	160	ROCKFASTER CONCRETE DRILL BIT 6X160	118D06L0160	3336600213999
	6	210	ROCKFASTER CONCRETE DRILL BIT 6X210	118D06L0210	3336600214002
	6	260	ROCKFASTER CONCRETE DRILL BIT 6X260	118D06L0260	3336600214019
	6	310	ROCKFASTER CONCRETE DRILL BIT 6X310	118D06L0310	3336600214026
	7	160	ROCKFASTER CONCRETE DRILL BIT 7X160	118D07L0160	3336600214033
	7	210	ROCKFASTER CONCRETE DRILL BIT 7X210	118D07L0210	3336600214040
	8	110	ROCKFASTER CONCRETE DRILL BIT 8X110	118D08L0110	3336600214057
	8	160	ROCKFASTER CONCRETE DRILL BIT 8X160	118D08L0160	3336600214064
	8	210	ROCKFASTER CONCRETE DRILL BIT 8X210	118D08L0210	3336600214071
	8	260	ROCKFASTER CONCRETE DRILL BIT 8X260	118D08L0260	3336600214088
	8	310	ROCKFASTER CONCRETE DRILL BIT 8X310	118D08L0310	3336600214095
	8	460	ROCKFASTER CONCRETE DRILL BIT 8X460	118D08L0460	3336600214101
	8	610	ROCKFASTER CONCRETE DRILL BIT 8X610	118D08L0610	3336600214118
	8	1000	ROCKFASTER CONCRETE DRILL BIT 8X1000	118D08L1000	3336600214125
	10	110	ROCKFASTER CONCRETE DRILL BIT 10X110	118D10L0110	3336600214132
	10	160	ROCKFASTER CONCRETE DRILL BIT 10X160	118D10L0160	3336600214149
	10	210	ROCKFASTER CONCRETE DRILL BIT 10X210	118D10L0210	3336600214156
	10	260	ROCKFASTER CONCRETE DRILL BIT 10X260	118D10L0260	3336600214163
	10	310	ROCKFASTER CONCRETE DRILL BIT 10X310	118D10L0310	3336600214170
	10	460	ROCKFASTER CONCRETE DRILL BIT 10X460	118D10L0460	3336600214187
	10	610	ROCKFASTER CONCRETE DRILL BIT 10X610	118D10L0610	3336600214194
	10	1000	ROCKFASTER CONCRETE DRILL BIT 10X1000	118D10L1000	3336600214200
	12	160	ROCKFASTER CONCRETE DRILL BIT 12X160	118D12L0160	3336600214217
	12	210	ROCKFASTER CONCRETE DRILL BIT 12X210	118D12L0210	3336600214224
	12	260	ROCKFASTER CONCRETE DRILL BIT 12X260	118D12L0260	3336600214231
	12	310	ROCKFASTER CONCRETE DRILL BIT 12X310	118D12L0310	3336600214248
	12	460	ROCKFASTER CONCRETE DRILL BIT 12X460	118D12L0460	3336600214255
	12	610	ROCKFASTER CONCRETE DRILL BIT 12X610	118D12L0610	3336600214262
	12	1000	ROCKFASTER CONCRETE DRILL BIT 12X1000	118D12L1000	3336600214279
	14	160	ROCKFASTER CONCRETE DRILL BIT 14X160	118D14L0160	3336600214286
	14	210	ROCKFASTER CONCRETE DRILL BIT 14X210	118D14L0210	3336600214293
	14	260	ROCKFASTER CONCRETE DRILL BIT 14X260	118D14L0260	3336600214309
	14	310	ROCKFASTER CONCRETE DRILL BIT 14X310	118D14L0310	3336600214316
	14	460	ROCKFASTER CONCRETE DRILL BIT 14X460	118D14L0460	3336600214323
	14	610	ROCKFASTER CONCRETE DRILL BIT 14X610	118D14L0610	3336600214330
	14	1000	ROCKFASTER CONCRETE DRILL BIT 14X1000	118D14L1000	3336600214347
	15	210	ROCKFASTER CONCRETE DRILL BIT 15X210	118D15L0210	3336600214361
	15	310	ROCKFASTER CONCRETE DRILL BIT 15X310	118D15L0310	3336600214378
16	160	ROCKFASTER CONCRETE DRILL BIT 16X160	118D16L0160	3336600214385	
16	210	ROCKFASTER CONCRETE DRILL BIT 16X210	118D16L0210	3336600214392	
16	260	ROCKFASTER CONCRETE DRILL BIT 16X260	118D16L0260	3336600214408	
16	310	ROCKFASTER CONCRETE DRILL BIT 16X310	118D16L0310	3336600214415	
16	460	ROCKFASTER CONCRETE DRILL BIT 16X460	118D16L0460	3336600214422	
16	610	ROCKFASTER CONCRETE DRILL BIT 16X610	118D16L0610	3336600214439	
16	1000	ROCKFASTER CONCRETE DRILL BIT 16X1000	118D16L1000	3336600214446	
18	210	ROCKFASTER CONCRETE DRILL BIT 18X210	118D18L0210	3336600214453	
18	260	ROCKFASTER CONCRETE DRILL BIT 18X260	118D18L0260	3336600214460	
18	310	ROCKFASTER CONCRETE DRILL BIT 18X310	118D18L0310	3336600214477	
18	460	ROCKFASTER CONCRETE DRILL BIT 18X460	118D18L0460	3336600214484	
18	610	ROCKFASTER CONCRETE DRILL BIT 18X610	118D18L0610	3336600214491	
18	1000	ROCKFASTER CONCRETE DRILL BIT 18X1000	118D18L1000	3336600214507	
20	210	ROCKFASTER CONCRETE DRILL BIT 20X210	118D20L0210	3336600214514	
20	260	ROCKFASTER CONCRETE DRILL BIT 20X260	118D20L0260	3336600214521	
20	310	ROCKFASTER CONCRETE DRILL BIT 20X310	118D20L0310	3336600214538	
20	460	ROCKFASTER CONCRETE DRILL BIT 20X460	118D20L0460	3336600214545	
20	610	ROCKFASTER CONCRETE DRILL BIT 20X610	118D20L0610	3336600214552	
20	1000	ROCKFASTER CONCRETE DRILL BIT 20X1000	118D20L1000	3336600214569	

RECYCLED
PLASTIC CLIP



BOXES	Ø6,8,10X110 Ø6,8,10,12X160	SET OF 7 ROCKFASTER CONCRETE	1002A	3336600214576	 STEEL BOX
	Ø6X160X3 Ø8X160X3 Ø10X160X2 Ø12X160 Ø14X160	KIT OF 10 ROCKFASTER CONCRETE	1003A	3336600214583	KIT 
	Ø5,6 X110 Ø6,8,10 X160	SET OF 5 ROCKFASTER CONCRETE	1004A	3336600214590	 PLASTIC BOX
	Ø5X110X2 Ø6X160X2 Ø8X160	SET OF 5 ROCKFASTER CONCRETE	1005A	3336600214606	PLASTIC BOX 