


NEW Paslode Impulse *IM90i* Fuel Injection System Framing Nailer

The professional's choice - the first cordless nailer powered by an intelligent electronic fuel injection system offering unrivalled cold weather performance. Having been tested to work in temperatures as low as -15°C the IM90i delivers consistent nailing time after time.



Unrivalled cold weather performance



Kit Contains:

Paslode Impulse IM90i Nailer, high impact lightweight carry case, 2 x batteries, battery charger, cleaning solution, Paslode lubricating oil, safety glasses to EN166:F, allen key, instruction manual and tool schematics & parts list.

Eurocode & Description

• Eurocode: 010333	Box Qty
IM90i Framing Nailer	1

Technical Specification

Weight:	3.7kg
Dimensions:	380 x 324 x 113mm
Power:	105 J
Nail range:	51mm to 90mm
Cycle rate:	2 - 3 nails per second
Maximum cycle rate:	1,000 nails per hour, 4,000 per day
Magazine capacity:	Standard - 1 strip/37 nails Long - 2 strips/74 nails
Fuel cell capacity:	1,250 shots at -5°C
Battery NiMH 1.5 Ah 6V:	4,000 shots at -5°C 2 hours maximum charge

Substrates

- Wood

Product Advantages

- **Temperature performance** - Intelligent fuel injection system delivers unrivalled cold weather performance with a working threshold of -15°C to +49°C
- **Removable magazine** - Makes light work of clearing jams and debris from the tool
- **Long magazine** - Saves time and effort during high volume nailing by using the double length magazine accessory, with 2 strip capacity
- **Fuel cell loading** - The patented locking system means the fuel cell self-locates into the lock position, making loading a simple operation
- **On / Off battery** - New easy click on / off settings enable the tool to be left in safe mode, without needing to remove the battery
- **Depth Adjuster** - The tool-free depth adjuster with it's unique locking system means consistent nail embedment every time
- **Soft grip handle** - Rubber grip increases comfort over long working periods by improving tool handling
- **Indicator lights** - LED lights indicate; battery charge
 - ● green for positive charge
 - ● red for low charge
 - ● orange flashing: tool cleaning flashes after 30,000 shots to indicate it is time to clean the tool
- **More power** - New improved nailing system produces 105 joules of power, providing users with the ability to drive 90mm Ring Shank Nails into C24 structural timber



90mm Ring Shank Nails in C24 structural timber

Features:



Applications

- Timber frame
- Joists
- Floor boarding
- Noggins
- Roof battening
- Soffits
- Decking
- Refurbishment
- Flat roofing
- Panelling
- Chipboard
- Fencing
- Shuttering
- Packaging
- Cladding

TIP

For nailing timber into concrete for sole plates, why not try the Spitfire P370. Refer to pages 86 - 91.

Fuel Injection System

The **NEW** IM90i is the first cordless gas nailer powered by an intelligent electronic fuel injection system. The fuel injection valve delivers the exact dosage of fuel required for the temperature.




Fastener Specification

Coatings / Materials / Finishes:	<ul style="list-style-type: none"> ● Bright ● Galv Plus® ● Hot Dipped Galvanised ● Stainless Steel
Shank Types:	<ul style="list-style-type: none"> Ring Shank 2.8 / 3.1mm Smooth Shank 2.8 / 3.1mm
Point Types	Diamond Point
Head Types	Clipped Head

Collation Types:

RounDrive® Nails - a unique off-centre design and the only full-head 34° nails available in paper strip collation



NEW Paslode Impulse *IM90i* Fuel Injection System Framing Nailer

Accessories:

Eurocode Description Box Qty:

013225 Long Magazine 1



013224 Standard Magazine 1



013227 IM90i Battery 1

PLEASE NOTE: BATTERY IS SUITABLE FOR BOTH THE IM90i AND PPN35i



013229 IM90i Battery Charger 1



013255 IM90i Bi-Function Hook 1



300348* IM90i Fuel Cell 1

PLEASE NOTE: FUEL CELL IS SUITABLE FOR BOTH THE IM90i AND PPN35i



013211 IM90i No-Mar Cladding Probe 1



Also available:

013223 IM90i Steel Tile Probe 1

013256 IM90i Cladding Probe 1

- Rubber Kit 1

013221 IM90i Wood Flooring Probe 1

013231* Filter + O-ring Kit 1

013200* Tool Carry Case 1

013226* Large Carry Case 1

* Order to order.



Nailer Consumables

NEW Nail & Fuel Packs

Eurocode	Length	Nail ø	Shank Type / Finish	Fuel Cells	Box Qty
142005	51mm	2.8mm	RG BR	3	3,750
142007	51mm	2.8mm	RG GALV PLUS	3	3,750
142009	57mm	2.8mm	RG GALV PLUS	3	3,750
142011	63mm	2.8mm	RG BR	3	3,750
142013	63mm	2.8mm	RG GALV PLUS	3	3,750
142014	63mm	2.8mm	RG HDGV	3	3,750
142024	63mm	3.1mm	RG GALV PLUS	2	2,500
142025	63mm	3.1mm	RG HDGV	2	2,500
142029	75mm	3.1mm	RG BR	2	2,500
142030	75mm	3.1mm	RG GALV PLUS	2	2,500
142031	75mm	3.1mm	RG HDGV	2	2,500
142035	90mm	3.1mm	ST BR	2	2,500
142036*	90mm	3.1mm	RG BR	2	2,500
142037	90mm	3.1mm	ST GALV PLUS	2	2,500
142038*	90mm	3.1mm	RG GALV PLUS	2	2,500
142039	90mm	3.1mm	ST HDGV	2	2,500
142040*	90mm	3.1mm	RG HDGV	2	2,500

* C24 structural grade timber

NEW Handy Packs

Eurocode	Length	Nail ø	Shank Type / Finish	Fuel Cells	Box Qty
142045	51mm	2.8mm	RG S / STEEL	1	1,250
142047	63mm	2.8mm	RG S / STEEL	1	1,250
142050	80mm	3.1mm	RG S / STEEL	1	1,250
142051	90mm	3.1mm	RG GALV PLUS	1	1,250

