

Drywall screws and screwdrivers

DS1-X drywall screwdriver - cordless

DS2 + DS2-CL drywall screwdriver

NPBUBPFN /NPBUBPCO collated-fine thread for metal profiles

NPBUBPFN /NPBUBPCO collated- coarse thread for wooden profiles

NPBUBPFN - loose with 1 bit

NPBUBPCO- loose with 1 bit

NPBUBPRT- loose with 1 bit,reverse thread

NPBHBP- loose with 1 bit

NPCBPFN- loose with 1 bit



DS1-X



DS2 + DS2-CL



NPBUBPFN /NPBUBPCO collated-fine thread



NPBUBPFN /NPBUBPCO collated- coarse thread



NPBUBPFN - loose with 1 bit



NPBUBPCO- loose with 1 bit



NPBUBPRT- loose with 1 bit



NPBHBP- loose with 1 bit



NPCBPFN- loose with 1 bit



Approvals and test reports



Product description

1. General Applications

- Fastening of gypsum plates and chipboardson on MetalStud® or wood constructions

2. Benefits

- High quality screws with excellent screwing properties
- Screws loose and collated available

3. Properties

- Fine thread for fastening on MetalStud®
- Coarse thread for applications on wood
- Screw lengths from 25mm to 55mm available
- Different head styles available






DS1 X-drywall screwdriver cordless

Type	Art. Nr.		
DS1-X	67252	1	
18V BATTERY	21624	1	
18V CHARGER	21622	1	
18V UK BATTERY CHARGER	21626	1	




DS2 drywall screwdriver

Type	Art. Nr.		
DS2 SCREWDRIVER	67300	1	
DS2 110V	67301	1	
DS2-CL	67306	1	
DS2-CL Bit	67308	1	



Drywall screws collated – fine thread for metal profiles (max. 0,88mm)

Type	Art. Nr.				L [mm]		
Ø3,5 mm							
NPBUBPFN35x25CL	67045	10x1000	10000	180.000	25	3,5	8,0
NPBUBPFN35x35CL	67050	10x1000	10000	180.000	35	3,5	8,0
NPBUBPFN35x45CL	67055	10x1000	10000	180.000	45	3,5	8,0
NPBUBPFN35x55CL	67060	8x1000	8000	144.000	55	3,5	8,0
Ø3,9 mm							
NPBUBPFN39x25CL	67125	10x1000	10000	180.000	25	3,9	8,0
NPBUBPFN39x35CL	67130	10x1000	10000	180.000	35	3,9	8,0
NPBUBPFN39x45CL	67135	10x1000	10000	180.000	45	3,9	8,0




Drywall screws collated – coarse thread for wooden profiles

Type	Art. Nr.				L [mm]		
Ø3,5 mm							
NPBUBPCO35x25CL	67065	10x1000	10000	180.000	25	3,5	8,0
NPBUBPCO35x35CL	67070	10x1000	10000	180.000	35	3,5	8,0
NPBUBPCO35x45CL	67075	10x1000	10000	180.000	45	3,5	8,0
NPBUBPCO35x55CL	67080	8x1000	8000	144.000	55	3,5	8,0
Ø3,9 mm							
NPBUBPCO39x25CL	67145	10x1000	10000	180.000	25	3,9	8,0
NPBUBPCO39x35CL	67150	10x1000	10000	180.000	35	3,9	8,0
NPBUBPCO39x45CL	67155	10x1000	10000	180.000	45	3,9	8,0



Drywall screws loose with 1 bit – fine thread for metal profiles (max. 0,88mm)							
Type	Art. Nr.				L [mm]		
Ø3,5 mm							
NPBUBPFN35x25	67005	1000	15000	360.000	25	3,5	8,0
NPBUBPFN35x30*	67007	1000	13000	312.000	30	3,5	8,0
NPBUBPFN35x35	67010	1000	10000	240.000	35	3,5	8,0
NPBUBPFN35x40*	67012	1000	9000	216.000	40	3,5	8,0
NPBUBPFN35x45	67015	1000	8000	192.000	45	3,5	8,0
NPBUBPFN35x50*	67017	1000	6000	144.000	50	3,5	8,0
NPBUBPFN35x55	67020	500	5000	120.000	55	3,5	8,0
Ø3,9 mm							
NPBUBPFN39x25	67085	1000	13000	312.000	25	3,9	8,0
NPBUBPFN39x35	67090	1000	9000	216.000	35	3,9	8,0
NPBUBPFN39x45	67095	1000	8000	192.000	45	3,9	8,0

*available on request




Drywall screws loose with 1 bit – coarse thread for wooden profiles							
Type	Art. Nr.				L [mm]		
Ø3,5 mm							
NPBUBPC035x25	67025	1000	15000	360.000	25	3,5	8,0
NPBUBPC035x30*	67027	1000	13000	312.000	30	3,5	8,0
NPBUBPC035x35	67030	1000	10000	240.000	35	3,5	8,0
NPBUBPC035x40*	67032	1000	9000	216.000	40	3,5	8,0
NPBUBPC035x45	67035	1000	8000	192.000	45	3,5	8,0
NPBUBPC035x50*	67037	1000	6000	144.000	50	3,5	8,0
NPBUBPC035x55	67040	500	5000	120.000	55	3,5	8,0
Ø3,9 mm							
NPBUBPC039x25	67105	1000	13000	312.000	25	3,9	8,0
NPBUBPC039x35	67110	1000	9000	216.000	35	3,9	8,0
NPBUBPC039x45	67115	1000	8000	192.000	45	3,9	8,0

*available on request



Drywall screws loose with one bit Ø 3,9mm, bugle head, reverse thread							
Type	Art. Nr.				L [mm]		
Ø3,9 mm							
NPBUBPRT39x34	67002	1000	9000	216.000	34	3,9	8,0



Drywall screws loose with one bit Ø 4,2mm, button head							
Type	Art. Nr.				L [mm]		
Ø4,2mm							
NPBHP42x13	67160	1000	13000	312.000	13	4,2	11,0



Drywall screws loose with one bit Ø 3,8mm, countersunk head, fine thread							
Type	Art. Nr.				L [mm]		
Ø3,8mm							
NPCBPFN38x35	67000	1000	9000	216.000	35	3,8	7,0

+31 (0)888-POWERS (769 377)

Powers cannot be responsible for any errors and reserves the right to make technical and range modifications without notice. No liability is accepted for printing errors and omissions. Powers terms and conditions apply. Copyright © 2011 Powers Fasteners Europe. All rights reserved.

Powers®