

SAFETY DATA SHEET

Based on Regulation (EC) No. 1907/2006 (REACH) Article 31 and Annex II

Soudalead PB

1. Identification of the substance/preparation and of the company/undertaking

- 1.1 Identification of the substance or preparation: Product name Soudalead PB
- 1.2 Use of the substance/preparation: Sealant
- 1.3 Company/undertaking identification:

SOUDAL N.V. Everdongenlaan 18-20 B-2300 Turnhout Tel: +32 14 42 42 31 Fax: +32 14 44 39 71 msds@soudal.com

1.4 Emergency telephone:

24h/24h:

+32 14 58 45 45 (BIG)

2. Hazards identification

DSD/DPD

Not classified as dangerous according to the criteria of directive(s) 67/548/EEC and/or 1999/45/EC

Other hazards

Slightly irritant to skin

Slightly irritant to eyes

May produce an allergic reaction

Contains a substance which is (possibly) carcinogenic

Contains traces of a (possible) teratogenic substance

3. Composition/information on ingredients

Namo		CAS No EINECS/ELINCS	Conc.	Classification according to DSD/DPD		Note
butan-2-one 0,0',0''-(vinylsi	5 5 7	2224-33-1 218-747-8	0.1% <c<1%< th=""><th>R43</th><th>Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317</th><th>(1)</th></c<1%<>	R43	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	(1)
butanone oxime		96-29-7 202-496-6	0.1% <c<1%< td=""><td>Xn; R21 Xi; R41 R43</td><td>Carc. 2; H351 Flam. Liq. 3; H226 Acute Tox. 4*; H312 Eye Dam. 1; H318 Skin Sens. 1; H317</td><td>(1)(2)</td></c<1%<>	Xn; R21 Xi; R41 R43	Carc. 2; H351 Flam. Liq. 3; H226 Acute Tox. 4*; H312 Eye Dam. 1; H318 Skin Sens. 1; H317	(1)(2)

(1) For R-phrases and H-statements in full: see heading 16 (2) Substance with a Community workplace exposure limit

4. First aid measures

 4.1 After inhalation: Remove the victim into fresh Respiratory problems: const 4.2 Skin contact: Wash immediately with lots Soap may be used Take victim to a doctor if irri 	IIt a doctor/medical service of water				
Created by: Brandweerinfor Technische Schoolstraat 43 / http://www.big.be Reason for revision: REACH	matiecentrum voor Gevaarlijke Stoffen A, B-2440 Geel	vzw (BIG)	date: 2002-03-12 revision: 2011-06-09		- 15960 - GB
Revision number: 0200	Product number: 3	37528		1/7	87 - 321

Souda	lead PB
4.3 Eye contact: Rinse with water Take victim to an ophthalmologist if irritation persists	
4.4 After ingestion: Rinse mouth with water Consult a doctor/medical service if you feel unwell	
5. Fire-fighting measures	
5.1 Suitable extinguishing media: Water spray Polyvalent foam ABC powder Carbon dioxide	
5.2 Unsuitable extinguishing media: No unsuitable extinguishing media known	
5.3 Special exposure hazards: Heating increases the fire hazard Upon combustion CO and CO2 are formed	
5.4 Instructions: No specific fire-fighting instructions required	
5.5 Special protective equipment for fire-fighters: Gloves Protective clothing Heat/fire exposure: compressed air/oxygen apparatus	
6. Accidental release measures	
6.1 Personal precautions: See heading 8.2	
6.2 Environmental precautions: Use appropriate containment to avoid environmental contamination See heading 13	
6.3 Methods for cleaning up: Scoop solid spill into closing containers Clean contaminated surfaces with a soap solution Wash clothing and equipment after handling	
7. Handling and storage	
7.1 Handling: Keep away from naked flames/heat Observe strict hygiene Keep container tightly closed	
7.2 Storage: Safe storage requirements: Store in a dry area Keep container in a well-ventilated place Store at room temperature Meet the legal requirements Storage temperature: 20 °C Max. storage time: 1 year(s) Keep away from: oxidizing agents Suitable packaging material: synthetic material	
Revision number: 0200 Product number: 37528	2/7

	Soudalead PB
7.3 Specific use(s): See information supplied by the manufacturer for the iden	ntified use(s)
8. Exposure controls/Personal prote	ction
3.1 Exposure limit values: 8.1.1 Occupational exposure: If limit values are applicable and available these will b	pe listed below.
 3.2 Exposure controls: 8.2.1 Occupational exposure controls: Carry operations in the open/under local exhaust/ver Personal protective equipment: a) Respiratory protection: Respiratory protection not required in nor b) Hand protection: Gloves c) Eye protection: Safety glasses d) Skin protection: Protective clothing 8.2.2 Environmental exposure controls: See headings 6.2, 6.3 and 13 	
9. Physical and chemical properties	
9.1 General information:	
Physical form	Paste
Odour	Characteristic odour
Colour	Variable in colour, depending on the composition
9.2 Important health, safe <mark>ty and environmental ir</mark>	nformation:
Flashpoint Contract C	> 100 °C
Relative density	
9.3 Other information:	
10. Stability and reactivity	
10.1 Conditions to avoid:	
Possible fire hazard heat sources	
Stability Stable under normal conditions	
10.2 Materials to avoid: oxidizing agents	
10.3 Hazardous decompos <mark>ition products:</mark> Upon combustion CO and CO2 are formed	
11. Toxicological information	
11.1 Acute toxicity:	
butanone oxime	
butanone oxime LD50 oral (rat) LD50 dermal (rat)	> 930 mg/kg > 2000 mg/kg

LCSU Inhalation (rat)		20 Mg/1/40
11.2 Chronic toxicity:		
Contains a substance which Not listed in mutagenicity cla	4 57 6	
Revision number: 0200	Product number: 3	37528

Contains traces of a (possible) teratogenic substance

butanone oxime

none oxime	
EC carc cat	3
MAK - Krebserzeugend Kategorie	2
MAK - Schwangerschaft Gruppe	-
CLP carc cat	category 2

11.3 Acute effects/symptoms:

Inhalation: No effects known

Skin contact: Slight irritation

Eye contact: Slight irritation

Ingestion:

No effects known

11.4 Chronic effects:

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation

12. Ecological information

12.1 Ecotoxicity:

I ECOLOXICITY.			
butanone oxime			
LC50 fish			
species	value	duration (h)	remarks
ONCORHYNCHUS MYKISS	693 mg/l	96 h	STATIC SYSTEM
EC50 Daphnia			
species	value	duration (h)	remarks
DAPHNIA MAGN <mark>A</mark>	750 mg/l	48 h	
EC50 other aquatic org <mark>anisms</mark>			
species	value	duration (h)	remarks
SCENEDESMUS SUBSPICATUS	83 mg/l	72 h	

butan-2-one 0,0',0"-(vinylsilylidyne)trioxime

LC50 fish	า
-	

LC50 fish					
species		value	duration (h)	remarks	
BRACHYDANIO R	ERIO	>560 mg/l	96 h		
12.2 Mobility:		_			
Volatile organic compounds	(VOC)	0.135	5 %		

Literature reports: insoluble in water

Volatile organic compounds (VOC) Solubility in/reaction with water

12.3 Persistence and degradability:

Biodegradability in water: no data available

12.4 Bioaccumulative potential: No bioaccumulation data available

12.5 Results of PBT assessment: Not applicable, based on available data

12.6 Other adverse effects: Not dangerous for the ozone layer (1999/45/EC)

13 Disposal considerations

13.1 Provisions relating to Waste material code (Direct	waste: ive 2008/98/EC, decision 2001/118/EC)				
Revision number: 0200	Product number: 375	28		4/7	

08 04 10 : waste adhesives and sealants other than those mentioned in 08 04 09 Depending on branch of industry and production process, also other EURAL codes may be applicable Can be considered as non hazardous waste according to Directive 2008/98/EC

13.2 Disposal methods:

Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber with energy recovery Remove waste in accordance with local and/or national regulations Do not discharge into drains or the environment

13.3 Packaging/Container:

Waste material code packaging (Directive 2008/98/EC) 15 01 02 : plastic packaging

14. Transport information

ADR

ADR	
Transport	Not subject
UN number	-
Class	
Packing group	
Hazard identification numbe <mark>r</mark>	
Classification code	
Labels	
Environmentally hazardous substance mark	no

RID

RID		
Transport		Not subject
UN number		-
Class		
Packing group		
Classification code		
Labels		
Environmentally hazardous	substance mark	no

ADN			
Transport			Not subject
UN number			
Class			
Packing group			
Classification code			
Labels			
Environmentally hazardous sub	bstance mark	-	no

IMO	
Transport	Not subject
UN number	-
Class	
Packing group	
Labels	
Marine pollutant	
Environmentally hazardous substance mark	no

ICAO		
Transport		Not subject
UN number		-
Class		
Packing group		
Revision number: 0200	Product number: 37528	5/7

Environmentally hazardous substance mark no no	

15. Regulatory information

rs. Regulatory informat	
15.1 EU Legislation:	
DSD/DPD	
Classification according to directives	<mark>7/548/EEC, 1999/45/EC and</mark> 2006/8/EC
Contains: butanone oxime; butan-2-	ne 0,0',0''-(vinylsilylidyne)trioxime. May produce an allergic reaction.
15.2 National provisions:	
The Netherlands	
Waterbezwaarlijkheid (for NL)	11
Waste identification other lists materials	f waste LWCA (the Netherlands): KGA category 05
Germany	
WGK	1
	Classification water polluting based on the components in compliance with
	Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 4)
15.3 Specific community ru <mark>les:</mark>	
REACH Annex XVII - Restriction	Contains component(s) included in Annex XVII of Regulation (EC) No. 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

16. Other information

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question.

Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult your BIG licence agreement for details.

(*) = INTERNAL CLASSIFICATION (NFPA)

PBT-substances = persistent, bioaccumulative and toxic substances

DSD Dangerous Substance Directive

DPD Dangerous Preparation Directive

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

Full text of any R-phrases referred to under headings 2 and 3:

R21	Harmful in contact with skin	
R38	Irritating t <mark>o skin</mark>	
R40	Limited ev <mark>idence of a carcinogenic effect</mark>	
R41	Risk of ser <mark>ious damage to eyes</mark>	
R43	May cause sensitisation by skin contact	
Full text of	any H-statements referred to under headings 2 and 3:	
H226	Flammable liquid and vapour.	
∐ 212	Harmful in contact with skin	

11220		e liquiu aliu vapoul.				
H312	Harmful ir	n contact with skin.	1			
H315	Causes ski	in irritation.				
H317	May cause	e an allergic skin reaction.				
H318	Causes sei	rious eye damage.				
H351	Suspected	of causing cancer.				
Full text of a	any classes refer	red to under headings 2 and 3:			í	
Revision nu	mber: 0200	Product number:	37528			6/7

Acute Tox.	Acute toxicity	
Carc.	Carcinogen <mark>icity</mark>	
Eye Dam.	Serious ey <mark>e damage</mark>	
Flam. Liq.	Flammabl <mark>e liquid</mark>	
Skin Irrit.	Skin irritati <mark>on</mark>	
Skin Sens.	Skin sensiti <mark>zation</mark>	

