

# Section 11 Chain, Lifting & Banding

## 2330 - Chain

### Chain

| VJT Code | Link Size (mm) | Finish     |
|----------|----------------|------------|
| 23300005 | 4 x 9 x 26     | BZP        |
| 23300010 | 5 x 11 x 28    | BZP        |
| 23300020 | 6 x 11 x 42    | BZP        |
| 23300030 | 6.5 x 14 x 36  | BZP        |
| 23300035 | 4 x 9 x 26     | Galvanised |
| 23300040 | 5 x 11 x 28    | Galvanised |
| 23300050 | 6 x 11 x 42    | Galvanised |
| 23300060 | 6.5 x 14 x 36  | Galvanised |



### Security Chain With Plastic Sleeve

| VJT Code | Size        | Pack Qty |
|----------|-------------|----------|
| 23300070 | 10mm X 1.5m | 1        |

## 2340 - Eyebolts & Shackles

### Eyebolts Din 580 Stainless Steel

| VJT Code | Description | Thread Ø | Thread Length (mm) | Eye Ø (mm) | SWL (kN) | Box Qty |
|----------|-------------|----------|--------------------|------------|----------|---------|
| 23400010 | M6 SS       | M6       | 13                 | 16         | 0.7      | 1       |
| 23400020 | M8 SS       | M8       | 15                 | 20         | 1.4      | 1       |
| 23400030 | M10 SS      | M10      | 18                 | 25         | 2.3      | 1       |
| 23400040 | M12 SS      | M12      | 22                 | 30         | 3.4      | 1       |
| 23400050 | M16 SS      | M16      | 28                 | 35         | 7.0      | 1       |
| 23400060 | M20 SS      | M20      | 30                 | 40         | 12.0     | 1       |
| 23400070 | M24 SS      | M24      | 38                 | 50         | 18.0     | 1       |
| 23400080 | M30 SS      | M30      | 45                 | 60         | 36.0     | 1       |



### Eyebuts Din 582 Stainless Steel

| VJT Code | Description | Thread Ø | Thread Length (mm) | Eye Ø (mm) | SWL (kN) | Box Qty |
|----------|-------------|----------|--------------------|------------|----------|---------|
| 23400090 | M6 SS       | M6       | 8.5                | 16         | 0.7      | 1       |
| 23400100 | M8 SS       | M8       | 8.5                | 20         | 1.4      | 1       |
| 23400110 | M10 SS      | M10      | 10.0               | 25         | 2.3      | 1       |
| 23400120 | M12 SS      | M12      | 11.0               | 30         | 3.4      | 1       |
| 23400130 | M16 SS      | M16      | 13.0               | 35         | 7.0      | 1       |
| 23400140 | M20 SS      | M20      | 16.0               | 40         | 12.0     | 1       |
| 23400150 | M24 SS      | M24      | 20.0               | 50         | 18.0     | 1       |



### Commercial Pattern\* D Shackles with Screwed Collar Pin Stainless Steel

| VJT Code | Description | Thread Ø (mm) | Inside Width (mm)* | Inside Length (mm)** | SWL (kN) | Box Qty |
|----------|-------------|---------------|--------------------|----------------------|----------|---------|
| 23400160 | 6mm SS      | 6             | 12                 | 21                   | 1.6      | 1       |
| 23400170 | 8mm SS      | 8             | 16                 | 28                   | 2.5      | 1       |
| 23400180 | 10mm SS     | 10            | 20                 | 35                   | 4.0      | 1       |
| 23400190 | 12mm SS     | 12            | 24                 | 42                   | 6.3      | 1       |
| 23400200 | 16mm SS     | 16            | 32                 | 64                   | 10.0     | 1       |
| 23400210 | 20mm SS     | 20            | 40                 | 80                   | 16.0     | 1       |

\*Not for lifting \*\*Dimensions are approximate.



### Eyebolts Din 580

| VJT Code | Description    | Thread Ø | Thread Length (mm) | Eye Ø (mm) | SWL (kN) | Box Qty |
|----------|----------------|----------|--------------------|------------|----------|---------|
| 23400220 | M6 x 100 BZP   | M6       | 9                  | 20         | 0.7      | 1       |
| 23400230 | M8 Selfcolour  | M8       | 15                 | 20         | 1.4      | 1       |
| 23400240 | M10 Selfcolour | M10      | 18                 | 25         | 2.3      | 1       |
| 23400250 | M12 Selfcolour | M12      | 22                 | 30         | 3.4      | 1       |
| 23400260 | M16 Selfcolour | M16      | 28                 | 35         | 7.0      | 1       |
| 23400270 | M20 Selfcolour | M20      | 30                 | 40         | 12.0     | 1       |
| 23400280 | M24 Selfcolour | M24      | 38                 | 50         | 18.0     | 1       |
| 23400290 | M30 Selfcolour | M30      | 45                 | 60         | 36.0     | 1       |



## Eyenuits Din 582 Selfcolour

| VJT Code | Description    | Thread Ø | Thread Length (mm) | Eye Ø (mm) | SWL (kN) | Box Qty |
|----------|----------------|----------|--------------------|------------|----------|---------|
| 23400300 | M6 Selfcolour  | M6       | 8.5                | 16         | 0.7      | 1       |
| 23400310 | M8 Selfcolour  | M8       | 8.5                | 20         | 1.4      | 1       |
| 23400320 | M10 Selfcolour | M10      | 10.0               | 25         | 2.3      | 1       |
| 23400330 | M12 Selfcolour | M12      | 11.0               | 30         | 3.4      | 1       |
| 23400340 | M16 Selfcolour | M16      | 13.0               | 35         | 7.0      | 1       |
| 23400350 | M20 Selfcolour | M20      | 16.0               | 40         | 12.0     | 1       |
| 23400360 | M24 Selfcolour | M24      | 20.0               | 50         | 18.0     | 1       |
| 23400370 | M30 Selfcolour | M30      | 25                 | 60         | 36.0     | 1       |



## Commercial Pattern\* D Shackles with Screwed Collar Pin Galvanised Steel

| VJT Code | Description | Thread Ø (mm) | Inside Width (mm)** | Inside Length (mm)** | SWL (kN) | Box Qty |
|----------|-------------|---------------|---------------------|----------------------|----------|---------|
| 23400380 | 6mm Galv    | 6             | 12                  | 25                   | 1.6      | 1       |
| 23400390 | 8mm Galv    | 8             | 16                  | 32                   | 2.5      | 1       |
| 23400400 | 10mm Galv   | 10            | 20                  | 40                   | 4.0      | 1       |
| 23400410 | 12mm Galv   | 12            | 24                  | 48                   | 6.3      | 1       |
| 23400420 | 16mm Galv   | 16            | 32                  | 64                   | 10.0     | 1       |
| 23400430 | 20mm Galv   | 20            | 40                  | 80                   | 16.0     | 1       |


\*Not for lifting \*\*Dimensions are approximate and depend on supplier.



## Commercial Pattern\* Wire Rope Grips DIN741 Galvanised Steel

| VJT Code | Description | Rope Ø (mm) | Inside Width (mm)** | Total Bow Length (mm)** | Thread and Bar Ø [mm] | Box Qty |
|----------|-------------|-------------|---------------------|-------------------------|-----------------------|---------|
| 23400440 | 22mm Galv   | 22          | 23                  | 85                      | 14                    | 1       |
| 23400450 | 26mm Galv   | 26          | 27                  | 95                      | 14                    | 1       |
| 23400460 | 30mm Galv   | 30          | 32                  | 110                     | 16                    | 1       |
| 23400465 | 34mm Galv   | 34          | 36                  | 120                     | 16                    | 1       |
| 23400470 | 40mm Galv   | 40          | 42                  | 140                     | 16                    | 1       |
| 23400480 | 50mm Galv   | 50          | 54                  | 193                     | 16                    | 1       |

\*Not for lifting \*\*Dimensions are approximate.



## 2350 - Lifting Sockets & Loops

### Description

Barrel and Crimped sockets are a specially made thick walled sockets that are designed for lifting.

**The sockets require extra reinforcement to be channelled through the cross hole to allow the forces to be transferred into the concrete.**

Lifting loops work together to form a complete liftings system with threaded lifting sockets system.

The loop is made from solid wire rope with the thread being made of bright precision steel. Each loop is fitted with a tag to identify the serial number. A test certificate will be supplied on request.



### Lifting Sockets Plain BZP

| VJT Code | Description | Thread Ø | Thread Length (mm) | Outside Ø (mm) | Overall Length (mm) | SWL (kN) | Box Qty |
|----------|-------------|----------|--------------------|----------------|---------------------|----------|---------|
| 23500010 | RD12 BZP    | RD 12    | 22                 | 15             | 40                  | 5.0      | 1       |
| 23500020 | RD16 BZP    | RD 16    | 27                 | 21             | 54                  | 12.0     | 1       |
| 23500030 | RD20 BZP    | RD 20    | 35                 | 27             | 69                  | 20.0     | 1       |
| 23500040 | RD24 BZP    | RD 24    | 43                 | 31             | 78                  | 25.0     | 1       |

### Lifting Sockets Plain Stainless Steel

| VJT Code | Description | Thread Ø | Thread Length (mm) | Outside Ø (mm) | Overall Length (mm) | SWL (kN) | Box Qty |
|----------|-------------|----------|--------------------|----------------|---------------------|----------|---------|
| 23500050 | RD12 SS     | RD 12    | 22                 | 15             | 40                  | 5.0      | 1       |
| 23500060 | RD16 SS     | RD 16    | 27                 | 21             | 54                  | 12.0     | 1       |
| 23500070 | RD20 SS     | RD 20    | 35                 | 27             | 69                  | 20.0     | 1       |
| 23500080 | RD24 SS     | RD 24    | 43                 | 31             | 78                  | 25.0     | 1       |

### Lifting Sockets Crimped BZP

| VJT Code | Description | Thread Ø | Thread Length (mm) | Outside Ø (mm) | Overall Length (mm) | SWL (kN) | Box Qty |
|----------|-------------|----------|--------------------|----------------|---------------------|----------|---------|
| 23500090 | BZP         | RD 12    | 20                 | 16             | 55                  | 5.0      | 1       |
| 23500100 | BZP         | RD 16    | 20                 | 21.5           | 76                  | 12.0     | 1       |
| 23500110 | BZP         | RD 20    | 25                 | 27             | 90                  | 20.0     | 1       |
| 23500120 | BZP         | RD 24    | 30                 | 31             | 105                 | 25.0     | 1       |




# Section 11 Chain, Lifting & Banding



## Lifting Loops BZP

| VJT Code | Description | Thread Ø | Thread Length (mm) | Overall Length (mm) | SWL (kN) | Box Qty |
|----------|-------------|----------|--------------------|---------------------|----------|---------|
| 23500130 | RD12        | RD 12    | 22                 | 155                 | 5.0      | 1       |
| 23500140 | RD16        | RD 16    | 27                 | 165                 | 12.0     | 1       |
| 23500150 | RD20        | RD 20    | 35                 | 215                 | 20.0     | 1       |
| 23500160 | RD24        | RD 24    | 43                 | 255                 | 25.0     | 1       |


## 2360 - Banding



Sealing Tool for 25mm Seals for Steel Strapping



Tensioner Tool for Steel Strapping



Steel Banding Snap On Seals 25mm long

### Description

Steel strapping has proven strength, and is supplied Ribbon Wound and wrapped.

Strapping edges are sheared and dressed for additional protection when handling.

Polyester Woven Strapping has almost the same strength as steel strapping and is unaffected by extremes of temperature.

### Steel Banding

Material: Cold rolled steel  
 Finish: Blued and waxed  
 UTS: 6kN  
 Standard: BS EN 13246:2001  
 Coils weight: 25kg

## Banding and Accessories

| VJT Code | Description                          | Pack Qty |
|----------|--------------------------------------|----------|
| 23600010 | Banding Steel 2 Reel Pack 0.5 x 13mm | 1        |
| 23600020 | Banding Seals 13 x 25mm              | 1000     |
| 23600030 | Banding Sealing Tool 13mm            | 1        |
| 23600033 | Banding Steel 2 Reel Pack 0.5 x 16mm | 1        |
| 23600034 | Banding Seals 16 x 25mm              | 1000     |
| 23600035 | Banding Sealing Tool 16mm            | 1        |
| 23600040 | Banding Steel 2 Reel Pack 0.5 x 19mm | 1        |
| 23600050 | Banding Seals 19 x 25mm              | 1000     |
| 23600060 | Banding Sealing Tool 19mm            | 1        |
| 23600070 | Banding Tensioner Tool 13, 16 & 19mm | 1        |
| 23600080 | Banding Woven Poly 19mm x 600m       | 1        |
| 23600090 | Banding Buckles for 19mm Poly        | 1000     |
| 23600100 | Banding Tensioner for 19mm Poly      | 1        |
| 23600110 | Banding Stainless Steel 12mm x 5m    | 1        |
| 23600115 | Banding Clips Stainless Steel        | 25       |
| 23600120 | CL35 Fencing Clips                   | 1223     |
| 23600130 | CL35 Hand Tool                       | 1        |
| 23600140 | Steel Banding Trolley                | 1        |

## 2490 - Ancillary

### Ancillary

| VJT code | Description           | Size      | Pack Qty |
|----------|-----------------------|-----------|----------|
| 24900370 | Pallet Truck AC25L115 | 2500kg    | 1        |
| 24900680 | Cargo Net             | 10m x 10m | 1        |