

## 800C FOAM CLEANER

### Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product form : Mixture  
Trade name : 800C FOAM CLEANER  
Product code : 800C  
Type of product : Aerosol  
Vaporizer : Aerosol  
Product group : Trade product

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### 1.2.1. Relevant identified uses

Intended for general public

###### 1.2.2. Uses advised against

No additional information available

##### 1.3. Details of the supplier of the safety data sheet

AKKİM YAPI KİMYASALLARI SANAYİ ve TİCARET A.Ş.  
Yeşilbayır mahallesi Şimşir sokak No:22  
34555 İSTANBUL - TURKEY  
T +90 2127711371 - F +90 2127713888  
[info@akfix.com](mailto:info@akfix.com) - [www.akfix.com](http://www.akfix.com)

##### 1.4. Emergency telephone number

Emergency number : +90 2127711371 (9:00 am - 17:00 pm GMT+2)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixture/S

Aerosol, Category 1 H222;H229 On basis of test data  
Serious eye damage/eye irritation, Category 2 H319 Calculation method  
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336 Calculation method

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes serious eye irritation.

##### 2.2. Label elements

###### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazardous ingredients :

ethyl acetate; acetone, propan-2-one, propanone; Petroleum gases, liquefied, Petroleum gas, [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).]

Hazard statements (CLP) :

H222 - Extremely flammable aerosol

## 800C FOAM CLEANER Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

Precautionary statements (CLP)	<p>H229 - Pressurised container: May burst if heated            H319 - Causes serious eye irritation            H336 - May cause drowsiness or dizziness</p> <p>: P102 - Keep out of reach of children            P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking            P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing            P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing            P312 - Call a doctor if you feel unwell            P337+P313 - If eye irritation persists: Get medical advice/attention</p>
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethyl acetate	(CAS No) 141-78-6 (EC no) 205-500-4 (EC index no) 607-022-00-5 (REACH-no) 01-2119475103-46	30 - 40	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
acetone, propan-2-one, propanone	(CAS No) 67-64-1 (EC no) 200-662-2 (EC index no) 606-001-00-8 (REACH-no) 01-2119471330-49	20 - 30	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Petroleum gases, liquefied, Petroleum gas, [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] (Note K)(Note S)(Note U)	(CAS No) 68476-85-7 (EC no) 270-704-2 (EC index no) 649-202-00-6	1 - 15	Press. Gas Flam. Gas 1, H220 Carc. 1A, H350 Muta. 1B, H340

Note K : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w 1,3-butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-P210-P403 (Table 3.1) or the S-phrases (2-)-9-16 (Table 3.2) should apply. This note applies only to certain complex oil-derived substances in Part 3.

Note S : This substance may not require a label according to Article 17 (see section 1.3 of Annex I) (Table 3.1). This substance may not require a label according to Article 23 of Directive 67/548/EEC (see section 8 of Annex VI to that Directive) (Table 3.2).

Note U : When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

## 800C FOAM CLEANER Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : May cause drowsiness or dizziness.  
Symptoms/injuries after skin contact : Repeated exposure may cause skin dryness or cracking.  
Symptoms/injuries after eye contact : Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Extremely flammable aerosol.  
Explosion hazard : Pressurised container: May burst if heated.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Recover mechanically the product.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 800C FOAM CLEANER

Austria

Local name

Ethylacetat



# 800C FOAM CLEANER

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

Austria	MAK (mg/m <sup>3</sup> )	1050 mg/m <sup>3</sup>
Austria	MAK (ppm)	300 ppm
Austria	MAK Short time value (mg/m <sup>3</sup> )	2100 mg/m <sup>3</sup>
Austria	MAK Short time value (ppm)	600 ppm
Belgium	Local name	Acétate d'éthyle
Belgium	Limit value (mg/m <sup>3</sup> )	1461 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	400 ppm
Bulgaria	Local name	Етилacetат
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	800 mg/m <sup>3</sup>
Croatia	Local name	Etil-acetat
Croatia	GVI (granična vrijednost izloženosti) (ppm)	200 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	400 ppm
Croatia	Naznake (HR)	F, Xi
Czech Republic	Local name	Ethylacetát
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	700 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (PEL) (ppm)	195 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	900 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (ppm)	250 ppm
Denmark	Local name	Ethylacetat (1994)
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (ppm)	150 ppm
Estonia	Local name	Etüületsetaat (etüületanaat)
Estonia	OEL TWA (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Estonia	OEL TWA (ppm)	150 ppm
Estonia	OEL STEL (mg/m <sup>3</sup> )	1100 mg/m <sup>3</sup>
Estonia	OEL STEL (ppm)	300 ppm
Finland	Local name	Etyyliasettaatti
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	1100 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	300 ppm
Finland	HTP-arvo (15 min)	1800 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	500 ppm
France	Local name	Acétate d'éthyle
France	VME (mg/m <sup>3</sup> )	1400 mg/m <sup>3</sup>
France	VME (ppm)	400 ppm
Germany	Local name	Ethylacetat
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	1500 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	400 ppm
Germany	Remark (TRGS 900)	DFG, Y
Greece	OEL TWA (mg/m <sup>3</sup> )	1400 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	400 ppm
Hungary	Local name	ETIL-ACETÁT
Hungary	AK-érték	1400 mg/m <sup>3</sup>
Hungary	CK-érték	1400 mg/m <sup>3</sup>
Hungary	Megjegyzések (HU)	i, sz; l.
Ireland	Local name	Ethyl acetate
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	400 ppm
Latvia	Local name	Etikskābesetilesteris (etilacetāts)
Latvia	OEL TWA (mg/m <sup>3</sup> )	200 mg/m <sup>3</sup>
Lithuania	Local name	Etilo acetatas
Lithuania	IPRV (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Lithuania	IPRV (ppm)	150 ppm
Lithuania	NRV (mg/m <sup>3</sup> )	1100 mg/m <sup>3</sup>
Lithuania	NRV (ppm)	300 ppm
Poland	Local name	Octan etylu

## 800C FOAM CLEANER Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

Poland	NDS (mg/m <sup>3</sup> )	200 mg/m <sup>3</sup>
Poland	NDSch (mg/m <sup>3</sup> )	600 mg/m <sup>3</sup>
Portugal	Local name	Acetato de etilo
Portugal	OEL TWA (ppm)	400 ppm
Romania	Local name	Acetat de etil
Romania	OEL TWA (mg/m <sup>3</sup> )	400 mg/m <sup>3</sup>
Romania	OEL TWA (ppm)	111 ppm
Romania	OEL STEL (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Romania	OEL STEL (ppm)	139 ppm
Slovenia	Local name	etilacetat
Slovenia	OEL TWA (mg/m <sup>3</sup> )	1400 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	400 ppm
Slovenia	OEL STEL (mg/m <sup>3</sup> )	1400 mg/m <sup>3</sup>
Slovenia	OEL STEL (ppm)	400 ppm
Spain	Local name	Acetato de etilo
Spain	VLA-ED (mg/m <sup>3</sup> )	1460 mg/m <sup>3</sup>
Spain	VLA-ED (ppm)	400 ppm
Sweden	Local name	Ethyl acetate
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	150 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	1100 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	300 ppm
United Kingdom	Local name	Ethyl acetate
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (ppm)	400 ppm
Iceland	Local name	Etýlasetat (edíksúruetýlester)
Iceland	OEL (8 hours ref) (mg/m <sup>3</sup> )	540 mg/m <sup>3</sup>
Iceland	OEL (8 hours ref) (ppm)	150 ppm
Norway	Local name	Etylacetat
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	550 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	150 ppm
Switzerland	Local name	Acétate d'éthyle
Switzerland	VME (mg/m <sup>3</sup> )	1400 mg/m <sup>3</sup>
Switzerland	VME (ppm)	400 ppm
Switzerland	VLE (mg/m <sup>3</sup> )	2800 mg/m <sup>3</sup>
Switzerland	VLE (ppm)	800 ppm
Switzerland	Remark (CH)	4x15
Australia	Local name	Ethyl acetate
Australia	TWA (mg/m <sup>3</sup> )	720 mg/m <sup>3</sup>
Australia	TWA (ppm)	200 ppm
Australia	STEL (mg/m <sup>3</sup> )	1440 mg/m <sup>3</sup>
Australia	STEL (ppm)	400 ppm
USA - ACGIH	Local name	Ethyl acetate
USA - ACGIH	ACGIH TWA (ppm)	400 ppm
USA - ACGIH	Remark (ACGIH)	URT & eye irr

### 8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
Environmental exposure controls	: Avoid release to the environment.

## 800C FOAM CLEANER Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Liquid under pressure.
Colour	: clear. Colourless.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 24 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.85 g/cm <sup>3</sup>
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified



# 800C FOAM CLEANER

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

### 800C FOAM CLEANER

Vaporizer | Aerosol

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1950  
UN-No. (IMDG) : 1950  
UN-No. (IATA) : 1950  
UN-No. (ADN) : 1950  
UN-No. (RID) : 1950

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS  
Proper Shipping Name (IMDG) : AEROSOLS  
Proper Shipping Name (IATA) : Aerosols, flammable  
Proper Shipping Name (ADN) : AEROSOLS  
Proper Shipping Name (RID) : AEROSOLS  
Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D)  
Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1  
Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1  
Transport document description (ADN) : UN 1950 AEROSOLS, 2.1  
Transport document description (RID) : UN 1950 AEROSOLS, 2.1

### 14.3. Transport hazard class(es)

ADR

## 800C FOAM CLEANER Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

Transport hazard class(es) (ADR) : 2.1

Danger labels (ADR) : 2.1



### IMDG

Transport hazard class(es) (IMDG) : 2.1

Danger labels (IMDG) : 2.1



### IATA

Transport hazard class(es) (IATA) : 2.1

Hazard labels (IATA) : 2.1



### ADN

Transport hazard class(es) (ADN) : 2.1

Danger labels (ADN) : 2.1



### RID

Transport hazard class(es) (RID) : 2.1

Danger labels (RID) : 2.1



### 14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable



## 800C FOAM CLEANER Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

#### - Transport by sea

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
MFAG-No	: 126

#### - Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

#### - Inland waterway transport

Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04

## 800C FOAM CLEANER Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

Number of blue cones/lights (ADN) : 1

### - Rail transport

Classification code (RID) : 5F  
Special provisions (RID) : 190, 327, 344, 625  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E0  
Packing instructions (RID) : P207, LP02  
Special packing provisions (RID) : PP87, RR6, L2  
Mixed packing provisions (RID) : MP9  
Transport category (RID) : 2  
Special provisions for carriage – Packages (RID) : W14  
Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12  
Colis express (express parcels) (RID) : CE2  
Hazard identification number (RID) : 23

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)  
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Petroleum gases, liquefied, Petroleum gas, [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] is listed  
SZW-lijst van mutagene stoffen : Petroleum gases, liquefied, Petroleum gas, [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] is listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Class for fire hazard : Class II-1  
Store unit : 5 liter  
Classification remarks : R10 <H222;H229;H319;H336>; Emergency management guidelines for the storage of flammable liquids must be followed

## 800C FOAM CLEANER Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 4/1/2014

Revision date: 12/24/2015

Supersedes: 4/1/2014 Version: 1.0

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Full text of H- and EUH-statements:	
Aerosol 1	Aerosol, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 1B	Germ cell mutagenicity, Category 1B
Press. Gas	Gases under pressure
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer
EUH066	Repeated exposure may cause skin dryness or cracking

SDS EU AKFIX

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*