Commercial Product Name: FiAM Intumescent Acoustic Mastic



Replaces version from: 08.05.2019

Print date: 12.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Revision Date: 20.07.2020

Version: 2.0/en

*Commercial Product Name **FiAM Intumescent Acoustic Mastic**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Sealant

Recommended restrictions None under normal processing.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG

> Klaus-Fischer-Straße 1 D-72178 Waldachtal

Telephone: +49(0)7443 12-0 FAX: +49(0)7443 12-4222 Email: info-sdb@fischer.de Internet: www.fischer.de

*Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd

Hithercroft Road

Wallingford, Oxfordshire, OX10 9AT Telephone: +44 01491 827 920

FAX: +44 01491 827 950 Internet: www.fischer.co.uk

1.4 Emergency telephone number

*Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regula- This product is classified as not hazardous according to regulation (EC)

tion (EC) No. 1272/2008 1272/2008 [CLP].

2.2 Label elements

Labelling according to Regulation

The product does not have to be labelled according to Regulation (EC)

(EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP].

*Further information EUH208: Contains reaction mass of 5-chloro-2-methyl-2H-isothia-

zol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic

EUH210: Safety data sheet available on request.

Commercial Product Name: FiAM Intumescent Acoustic Mastic



Replaces version from: 08.05.2019 Print date: 12.08.2020

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Version: 2.0/en

Hazardous ingredients

Revision Date: 20.07.2020

Ingredient	CAS No.	Classification (EC) 1272/2008	Concentration
reaction mass of 5-	*CAS No.: 55965-84-9		< 0.0015 % by weight
chloro-2-methyl-2H-	*EC-No.: 911-418-6 Index-No.: 613-167-00-5	H310 Acute Tox. 3; H301 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin	
isothiazol-3-one and	*REACH No.: 01-2120764691-48-XXXX	Sens. 1A; H317 Aquatic Acute 1;	
2-methyl-2H-isothia-	01-2120/04091-48-	H400 Aquatic Chronic 1; H410	
zol-3-one (3:1)			

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice If symptoms persist, call a physician.

Remove/Take off immediately all contaminated clothing.

If inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

In case of skin contact IF ON SKIN: Gently wash with plenty of soap and water.

plenty of water, also under the eyelids, for at least 15 minutes.

If swallowed, seek medical advice immediately and show this container or

label.

Clean mouth with water and drink afterwards plenty of water. Drink 1 or

2 glasses of water. Do NOT induce vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention No data available
Special medical treatment No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2)

Dry powder Foam

Water spray jet

Extinguishing media which must

not be used for safety reasons

High volume water jet

Commercial Product Name: FiAM Intumescent Acoustic Mastic



Replaces version from: 08.05.2019

Print date: 12.08.2020

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising

from the substance or preparation itself, its combustion prod-

ucts, or released gases

Revision Date: 20.07.2020

Version: 2.0/en

Heating or fire can release toxic gas.

5.3 Advice for firefighters

Special protective equipment for

firefighting

In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.

Additional information on fire-

fighting

Fire residues and contaminated fire extinguishing water must be dis-

posed of in accordance with local regulations.

Keep containers and surroundings cool with water spray. Container may

rupture on heating.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Environmental precautions The product should not be allowed to enter drains, water courses or the

soil.

Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment.

Treat recovered material as described in the section "Disposal considera-

tions".

6.4 Reference to other sections

Reference to other sections See chapter 8/13

6.5 Additional information

Other information Dispose of in accordance with local regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling None under normal processing.

Advice on protection against fire

No special precautions required.

and explosion

Commercial Product Name: FiAM Intumescent Acoustic Mastic



Replaces version from: 08.05.2019

Print date: 12.08.2020

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container re-

Revision Date: 20.07.2020

Version: 2.0/en

quirements

Keep containers tightly closed in a cool, well-ventilated place.

Store in accordance with local regulations.

Keep only in original container.

Store in accordance with the particular national regulations. Hints on storage assembly

German storage class 10-13 (TRGS 510)

7.3 Specific end use(s)

Specific use(s) Sealant

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

Respiratory protection No personal respiratory protective equipment normally required.

Hand protection not required under normal use

Suitable material butyl-rubber, Chloroprene, Nitrile rubber

Unsuitable material PVC disposable gloves

Material thickness adjust to application and duration of use Break through time adjust to application and duration of use

Remarks Replace when worn. Request information on glove permeation proper-

> ties from the glove supplier. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous out-

side influences (e.g. temperature).

Eye protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective equipment.

Choose body protection according to the amount and concentration of Note

the dangerous substance at the work place.

General protective and hygiene

measures

Smoking, eating and drinking should be prohibited in the application

Avoid contact with skin, eyes and clothing. Take off all contaminated clothing immediately.

Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feedingstuffs. Use protective skin cream before handling the product.

Commercial Product Name: FiAM Intumescent Acoustic Mastic



Replaces version from: 08.05.2019

Print date: 12.08.2020

Information on environmental

ination on environmental ino special env

protection regulations

Version: 2.0/en

Revision Date: 20.07.2020

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form paste

*Colour white

*Odour characteristic

*Odour threshold No data available

pH 7

*Melting point [°C] / Freezing

point [°C]

0

*Boiling point [°C] 100

*Flash point [°C] No data available

*Explosion limits [Vol-%]

Lower limit No data available

Upper limit No data available

*Explosion limits No data available

*Vapour pressure [kPa] No data available

*Vapour density No data available

Relative density 1,55

*Solubility No data available

*Partition coefficient n-octanol /

water (log P O/W)

No data available

*Autoignition temperature [°C] No data available

*Viscosity, dynamic [kg/(m*s)] No data available

*Viscosity, kinematic [mm²/s] No data available

*Explosive properties Not explosive

*Oxidising properties No

SECTION 10: Stability and reactivity

10.1 Reactivity

Thermal decomposition No decomposition if stored and applied as directed.

Commercial Product Name: FiAM Intumescent Acoustic Mastic



Replaces version from: 08.05.2019

Print date: 12.08.2020

10.2 Chemical stability

Revision Date: 20.07.2020

Version: 2.0/en

Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid None known.

10.6 Hazardous decomposition products

Hazardous decomposition prod- No

No decomposition if used as directed.

ucts

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Oral toxicity [mg/kg] No data available

Dermal toxicity [mg/kg] No data available

Inhalative toxicity [mg/l] No data available

11.2 Additional information

Other information (chapter 11.) There is no data available for this product.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish [mg/l]

Hazardous ingredients

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
Value	Test criterion	Test species	Exposure dura- tion	Source
0,22	EC50	Oncorhynchus mykiss (rainbow trout)	96 h	Company data

Toxicity to daphnia [mg/l]

Hazardous ingredients

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
Value	Test criterion	Test species	Exposure dura- tion	Source

Commercial Product Name: FiAM Intumescent Acoustic Mastic



Replaces version from: 08.05.2019

08.2020

Version: 2.0/en	Print date: 12.0

0,12	EC50	Daphnia magna	48 h	Company data
		(Water flea)		

Toxicity to algae [mg/l]

Revision Date: 20.07.2020

Hazardous ingredients

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
Value	Test criterion	Test species	Exposure dura- tion	Source
0,048	EC50	Pseudokirchner- iella subcapitata	72 h	Company data

There are no data available on the mixture itself. Aquatic toxicity [mg/l]

12.2 Persistence and degradability

Biodegradability

Remarks No data available

12.3 Bioaccumulative potential

Bioaccumulation no data available

12.4 Mobility in soil

Mobility

Mobility No data available

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics de-

termination

This preparation contains no substance considered to be persistent,

bioaccumulating nor toxic (PBT).

12.6 Other adverse effects

Further information on ecology No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations Dispose of waste according to applicable legislation.

The product should not be allowed to enter drains, water courses or the

soil.

Waste Code The following Waste Codes are only suggestions:

> 200000 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING

SEPARATELY COLLECTED FRACTIONS

According to the European Waste Catalogue, Waste Codes are not prod-

uct specific, but application specific.

Commercial Product Name: FiAM Intumescent Acoustic Mastic



Replaces version from: 08.05.2019

Print date: 12.08.2020

Uncleaned empty packaging Dispose of as unused product.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the goods	Non-dangerous goods	Non-dangerous goods	Non-dangerous goods
14.3 Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental hazards	Not applicable.	Not applicable.	Not applicable.
Proper shipping name	Non dangerous good		
14.2 UN proper shipping		Non dangerous good	Non dangerous good
name			

14.6 Special precautions for user

Precautions not required under normal use

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

Revision Date: 20.07.2020

Version: 2.0/en

Annex II of MARPOL and the IBC

Code

not applicable

14.8 Additional information

Other information (chapter 14.) Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code,

ICAO/IATA-DGR

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

*Additional regulations This product is a "Treated article without primary biocidal function (Art.

58 in conjunction with Art. 3 (1) a))". This product protects itself by the added film protection active substance, which cannot show any outwardly directed effect by the resulting plastic film. Film protective agent: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3-one (3:1)

Restriction of occupation. Not relevant

15.2 Chemical safety assessment

Safety assessment Not relevant. Chemical safety assessments for substances in this mixture

were not carried out.

Commercial Product Name: FiAM Intumescent Acoustic Mastic



Replaces version from: 08.05.2019

Print date: 12.08.2020

SECTION 16: Other information

Revision Date: 20.07.2020

Version: 2.0/en

Modifications since last version Modifications of the previous version are denoted with an asterisk ().

Relevant H-phrases H301: Toxic if swallowed.

H310: Fatal in contact with skin.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H330: Fatal if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

EUH208: Contains reaction mass of 5-chloro-2-methyl-2H-isothia-

zol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic

reaction.

Eye Dam.: Serious eye damage

Aquatic Acute: Hazardous to the aquatic environment Aquatic Chronic: Hazardous to the aquatic environment

This product is classified as not hazardous according to regulation EC CLP

Recommended restrictions None under normal processing.

Modifications of the previous version are denoted with an asterisk (*).

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.