Product Brief

NLG Tether Choke











NLG Tether Choke Product code: 101367

The Tether Choke is the heavyweight tether point for big tools and simply cinches around a captive hole or handle.

NLG's Tether Choke[™] is the heavyweight tether point. Suitable for a wide range of tools up to 18kg in weight, the Tether Choke[™] is simply cinched round a captive handle or hole ensuring that the grip and ergonomic aspect of the tool is not compromised.

The Tether Choke[™] is easy to install, reusable and ideal to use where a high degree of movement is needed during the tool's use. It is often used as an effective anchor point where tools of over 5kg are in use.

INSTRUCTIONS

1/ Pass the loop end through a captive handle or hole.

2 / Lift the V Ring end over the tool and pass through the open loop to create a cinch.

3/ Pull tightly to secure.

4 / Test the tether point before putting the tool into use.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

VIDEO GUIDE



Watch online: neverletgo.com/tool-tether-guide

Specification

- Optimised V Ring design for extreme performance
- Extra high strength webbing delivers ultimate peace of mind
- Faster visual inspections with heavy-duty contrast stitching
- Clever contrast wear indicators ensure early warning of any structural damage
- Ergonomic and comfortable grip optimised for use on handles
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified (2:1 safety factor)
- Dimensions: 340mm x 25mm
- Max Load: 18KG [39.6lbs]

MAX LOAD (SWL)

18KG / 39.6LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

Weight: 53 Grams EAN (GTIN-13): 5060572180116 HTS Code: 6307.90.9899



Third party tested and certified

> See the Test Certificate on page 5







Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

DROP TEST CERTIFICATE

42814DT-NLG-113367

Manufacturer: Max Load (WLL): PRODUCT **IDENTIFICATION** NLG 18 KG Product: Safety Factor: Tether Choke 2:1**Reference:** Test Load: 36 KG 101367 **TEST TECHNICIAN** Signature: Name: Gary Paterson Date: Position: Senior Lab Technician 20-03-17

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE

Image: Construct of the service of the

EU Declaration of Conformity

REFERENCE NUMBER: 364101367113

01 / Manufacturer

NAME:	NLG	CODE:	101367	
ADDRESS:	6 Mannings Heath Road	DESCRIPTION:	Tether Choke	
	Poole, Dorset, BH12 4NQ	LOAD RATING:	18 KG / 39.6 LBS	
	United Kingdom			

02 / Product

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop perfomance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 42814DT-NLG-113367

ISSUED BY:	BSTL, Whittle Road
	Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:	Ami	
NAME:	Julian Aris	
POSITION:	Managing Director	
DATE:	25 / 04 / 18	

Tool Tethering Experts neverletgo.com



Never Let Go

121101367113

REFERENCE NUMBER:

Declaration of Conformity ANSI/ISEA 121-2018

American National Standard for Dropped Objects Prevention Solutions

01 / Manufacturer

02 /	Proc	luct

NAME:	NLG	CODE:	101367	
ADDRESS:	6 Mannings Heath Road	DESCRIPTION:	Tether Choke	
	Poole, Dorset, BH12 4NQ	LOAD RATING:	18 KG / 39.6 LBS	
	United Kingdom			

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY:	(Independent third party)
	BSTL, Whittle Road
	Ferndown Ind. Estate, BH21 7RL, UK
CERTIFICATE NUMBER:	43332DTA-NLG-113466
DATE:	20-08-18

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:	Ami	
NAME:	Julian Aris	
POSITION:	Managing Director	
DATE:	13 / 09 / 18	

Tool Tethering Experts neverletgo.com



Never Let Go



NLG Tether Choke Product code: 101367

View online neverletgo.com/tether-choke/

Get all the Product Briefs neverletgo.com

Tool Tethering Experts neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.