NLG 360 D Ring Loop Tool Tether

101363





NLG 360 D Ring Loop Tool Tether

Product code: 101363

The 360 D Ring Loop Tool Tether is the fastest way to create a anti-tangle tether point on tools with a captive hole or handle.

NLG's 360 D Ring Loop Tool Tether is the no-fuss option – create a tether point on any tool with a captive hole or handle and cinch it around the tool itself. Whatever method is used, a secure tether point is made in seconds. As part of NLG's unique tool tethering system, tools can be prepared off site for immediate connection to an approved tool lanyard once on site.

Simple but effective as a retrofit device, the NLG 360 D-Ring allows tools to rotate through 360 degrees with its anti-tangle swivel. This avoids the frustration of twisted lanyards found with many tool tethering options on the market today and simultaneously improves productivity.

The NLG 360 D Ring creates a professional solution that is certified and third party tested and suitable for tools up to 3kg in weight – the height worker's true friend.

INSTRUCTIONS

- 1/ Pass the loop end through the captive handle or hole of the tool.
- 2 / Lift the D Ring end over the tool and pass through the open loop to create a cinch.
- 3/ Pull tightly to secure.
- 4 / Test the tether point before putting the tool into use.

INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

VIDEO GUIDE



Watch online: neverletgo.com/tool-tether-guide

Specification

- Robust, tangle-free 360° D Ring
- Faster visual inspections with contrast stitching
- Rugged climbing cord loop allows for quick cinching
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Dynamic load tested and third-party certified (2:1 safety factor)
- Dimensions: 200mm x 25mm (cord loop: 130mm)
- Max Load: 3KG [6.6lbs]

MAX LOAD (SWL)

3KG / 6.6LBS


SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

Weight: 28 Grams

EAN [GTIN-13]: 5060572180109 HTS Code: 5609.00.4000











Breathe Safety Testing Laboratory

DROP TEST CERTIFICATE

42814DT-NLG-111363

Manufacturer: Max Load (WLL): **PRODUCT**

IDENTIFICATION NLG 3 KG

> Product: Safety Factor:

360 D Ring Loop Tool Tether 2:1

Reference: Test Load: 101363 6 KG

TEST TECHNICIAN Signature: Name: Gary Paterson

Date: Position:

20-03-17 Senior Lab Technician

TEST RESULTS

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS	PASS	PASS	PASS	PASS	PASS
2	PASS	PASS	PASS	PASS	PASS	PASS	PASS
3	PASS	PASS	PASS	PASS	PASS	PASS	PASS

United Kingdom Accreditation Service ACCREDITATION CERTIFICATE



Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the $laboratory. \ Any\ deviations\ from\ specific\ test\ methods\ are\ described\ in\ the\ relevant\ section\ of\ the\ report.$

- Fully Equipped Laboratory for CE Type Approval Testing
 Product Trial testing for specific tests
 CE Technical File review and consultancy advice
 CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

EU Declaration of Conformity

REFERENCE NUMBER: 364101363111

01 / Manufacturer

02 / Product

NAME:	NLG
ADDRESS:	6 Mannings Heath Road
	Poole, Dorset, BH12 4NQ
	United Kingdom

CODE:	101363
DESCRIPTION:	360 D Ring Loop Tool Tether
LOAD RATING:	3 KG / 6.6 LBS

03 / Conformity

The undersigned acting on behalf of [01] above hereby Dynamic drop performance testing conducted at 2:1 weight declares that:

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER:	42814DT-NLG-111363
ISSUED BY:	BSTL, Whittle Road
	Ferndown Ind. Estate, BH217RL, UK

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:	Ami
NAME:	Julian Aris
POSITION:	Managing Director
DATE:	25 / 04 / 18

Tool Tethering Experts neverletgo.com



Never Let Go

121101363111

Declaration of Conformity ANSI/ISEA 121-2018

American National Standard for Dropped Objects Prevention Solutions

02 / Product

01 / Manufacturer

NAME:	NLG
ADDRESS:	6 Mannings Heath Road
	Poole, Dorset, BH12 4NQ
	United Kingdom
,	

CODE:	101363
DESCRIPTION:	360 D Ring Loop Tool Tether
LOAD RATING:	3 KG / 6.6 LBS

REFERENCE NUMBER:

03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1		
TEST FACILITY:	[Independent third party]	
	BSTL, Whittle Road	
	Ferndown Ind. Estate, BH217RL, UK	
CERTIFICATE NUMBER:	43332DTA-NLG-111466	
DATE:	20-08-18	

04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:

NAME: Julian Aris

POSITION: Managing Director

DATE: 13 / 09 / 18

Tool Tethering Experts neverletgo.com



Never Let Go



NLG 360 D Ring Loop Tool Tether Product code: 101363

View online neverletgo.com/ 360-d-ring-loop-tool-tether/

Get all the Product Briefs neverletgo.com

Tool Tethering Experts

neverletgo.com

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ®and Never Let Go ® are registered trademarks.