

What is durafoot®?

durafoot® is the ideal support solution for all flat roof, plant room and fencing installations, including air conditioning & refrigeration systems, solar frame structures, access walkways and cabling/pipework.

Moulded from heavy duty, UV stabilised, re-cycled SBR rubber, the durafoot® range offers durability and reliability at highly competitive prices, utilising an economical and environmentally sensitive manufacturing process.

durafoot® Square

The **durafoot® Square** provides a fast & economical system for mounting fencing, M&E and rooftop services, including air conditioning, refrigeration and solar systems.



durafoot® FX

The **durafoot® FX** range of mounting blocks offers a simple and economical solution for securing and carrying cable tray, pipework and ducting without the need for a framing system.



Order from stock, or let us make a system to your own specifications.

We hold huge stocks of standard products, but also manufacture and modify to your specifications. See reverse for our full range, or call 01562 888 488 with your requirements.

durafoot® is economical and environmentally sensitive.

But that's not all we do...







Check out our bespoke rubber components...

We offer a wide range of moulded rubber products, including ballast weight blocks, anti-vibration strips/pads and walk-way mats, produced according to customers' designs, samples or drawings.

Commercial confidentiality and intellectual property rights of our customers are of paramount importance to us, so we never offer any products specially developed for one customer to any other company.



...and steel framing systems

We can also supply standard H-Frame kits and bespoke steel framing for use with durafoot® to support rooftop services, plant/equipment, access walkways and solar installations.

Our standard & bespoke framing configurations can be tailored to suit your requirements.





See the full range overleaf and call us on +44 (0)1562 888 488



PRODUCT DESCRIPTION	SIZE
durafoot ® 350 (41x41)	350x350mm / Core 41x41
durafoot ® 350 (82x41)	350x350mm / Core 82x41
durafoot ® 350 (50x50)	350x350mm / Core 50x50
durafoot® 500 (41x41)	500x500mm / Core 41x41
durafoot ® 500 (82x41)	500x500mm / Core 82x41
durafoot ® 500 (50x50)	500x500mm / Core 50x50
durafoot® 500 (41x41) Heavy @ 25kg	500x500mm / Core 41x41
durafoot® 500 (50x50) Heavy @ 25kg	500x500mm / Core 50x50
durafoot® FX 250 + Pre-Galv Steel Channel	250 x 100mm
durafoot® FX 400 + Pre-Galv Steel Channel	400 x 100mm
durafoot® FX 600 + Pre-Galv Steel Channel	600 x 100mm
durafoot® FX 1000 + Pre-Galv Steel Channel	1000 x 100mm
durafoot® FX 250 Low @ 50mm + Pre-Galv Steel Channel	250 x 50mm
durafoot® FX 400 Low @ 50mm + Pre-Galv Steel Channel	400 x 50mm
durafoot® BALLAST WEIGHTS 10kg / 15kg /20kg	Per requirement
durafoot® H-FRAME incl. 2 x durafoot 350	Per requirement
WALK WAY MAT / ANTI-VIBRATION STRIP / PAD / SHEET	Per requirement
STEEL FRAMES (bespoke)	Per requirement

+44 (0)1562 888 488 office@sinops.co.uk www.durafoot.net